# Plant Disease Identification and Pesticides Recommendation using CNN

Ch.vinay, A. Raghuraman, G.Dheeraj, G.Sandeep Reddy, Dr. S.Shivaprasad \*1,2,3,4 Students of the Department of CSE - Data Science, Malla Reddy Engineering College, Maisammaguda, Medchal, Hyderabad, Telangana.

Abstract: Plant diseases are a major threat to farmers, consumers, environment and the global economy. In India alone, 35% of field crops are lost to pathogens and pests causing losses to farmers. Indiscriminate use of pesticides is also a serious health concern as many are toxic and biomagnified. These adverse effects can be avoided by early disease detection, crop surveillance and targeted treatments. Most diseases are diagnosed by agricultural experts by examining external symptoms. However, farmers have limited access to experts. Our project is the first integrated and collaborative platform for automated disease diagnosis, tracking and forecasting. Farmers can instantly and accurately identify diseases and get solutions with a mobile app by photographing affected plant parts. Real-time diagnosis is enabled using the latest Artificial Intelligence (AI) algorithms for Cloud-based image processing. The AI model continuously learns from user uploaded images and expert suggestions to enhance its accuracy. Farmers can also interact with local experts through the platform. For preventive measures, disease density maps with spread forecasting are rendered from a Cloud based repository of geo-tagged images and micro-climactic factors. A web interface allows experts to perform disease analytics with geographical visualizations. In our experiments, the AI model (CNN) was trained with large disease datasets, created with plant images self-collected from many farms over 7 months. Test images were diagnosed using the automated CNN model and the results were validated by plant pathologists. Over 95% disease identification accuracy was achieved. Our solution is a novel, scalable and accessible tool for disease management of diverse agricultural crop plants and can be deployed as a Cloud based service for farmers and experts for ecologically sustainable crop production.

## 1. INTRODUCTION

Agriculture is fundamental to human survival. For populated developing countries like India, it is even more imperative to increase the productivity of crops, fruits and vegetables. Not only productivity, the quality of produce needs to stay high for better public health. However, both productivity and quality of food gets hampered by factors such as spread of diseases that could have been prevented with early diagnosis. Many of these diseases are infectious leading to total loss of crop yield. Given the vast geographical spread of agricultural lands, low education levels of farmers coupled with limited awareness and lack of access to plant pathologists, human assisted disease diagnosis is not effective and cannot keep up with the exorbitant requirements. To overcome the shortfall of human assisted disease diagnosis, it is imperative to build automation around crop disease diagnosis with technology and introduce low cost and accurate machine assisted diagnosis easily accessible to farmers. Some strides have been made in applying technologies such as robotics and computer vision systems to solve myriad problems in the agricultural domain. The potential of image processing has been explored to assist with precision agriculture practices, weed and herbicide technologies, monitoring plant growth and plant nutrition management [1][2]. However, progress on automating plant disease diagnosis is still rudimentary in spite of the fact that many plant diseases can be identified by plant pathologists by visual inspection of physical symptoms such as detectable change in color, wilting, appearance of spots and lesions etc. along with soil and climatic conditions. Overall, the commercial level of investment in bridging agriculture and technology remains lower as compared to investments done in more lucrative fields such as human health and education. Promising research efforts have not been able to productize due to challenges such as access and linkage for farmers to plant pathologists, high cost of deployment and scalability of solution. Recent developments in the fields of Mobile technology, Cloud computing and Artificial Intelligence (AI) create a perfect opportunity for creating a scalable low-cost solution for crop diseases that can be widely deployed. In developing countries such as India, mobile phones with internet connectivity have become ubiquitous. Camera and GPS enabled low cost mobile phones are widely available that can be leveraged by individuals to upload images with geolocation. Over widely available mobile networks, they can communicate with more sophisticated Cloud based backend services which can perform the compute heavy tasks, maintain a centralized database, and perform data analytics. Another leap of technology in recent years is AI based image analysis which has surpassed human eye capabilities and can accurately identify and classify images. The underlying AI algorithms use Neural Networks (NN) which have layers of neurons with a connectivity pattern inspired by the visual cortex. These networks get "trained" on a large set of pre-classified "labeled" images to achieve high accuracy of image classification on new unseen images. Since 2012 with "AlexNet" winning the ImageNet competition, deep Convolutional Neural Networks (CNNs) have consistently been the winning architecture for computer vision and image analysis [3]. The break through in the capabilities of CNNs

<sup>\*5</sup>Professor, Department of CSE - Data Science, Malla Reddy Engineering College, Maisammaguda, Medchal, Hyderabad, Telangana.

have come with a combination of improved computecapabilities, largedatasets of images available and improved NN algorithms. Besides accuracy, AIhasevolved and become more affordable and accessible with open source platforms such as TensorFlow [4]. Prior art related to our project includes initiatives to gather healthy and diseased crop images [5], image analysis using feature extraction [6], RGB images [7], spectral patterns [8] and fluorescence imaging spectroscopy [9]. Neural Networks have been used in the pastforplant disease identification but the approach was to identify texture features. Our proposal takes advantage of the evolution of Mobile, Cloud and AIto develop an end-to-end crop diagnosis solution that simulates the expertise ("intelligence") of plant pathologists and brings it to farmers. It also enables a collaborative approach towards continually increasing the disease database and seeking expert advice when needed for improved NN classification accuracy and tracking for outbreaks.

## 2. LITERATURE SURVEY

## A survey of image processing techniques for agriculture, AUTHORS: Lalit P. Saxena and Leisa J. Armstrong:

**ABSTRACT:** Computer technologies have been shown to improve agricultural productivity in a number of ways. One technique which is emerging as a useful tool is image processing. This paper presents a short survey on using image processingtechniquestoassistresearchers and farmers to improve agricultural practices. Image processing has been used to assist with precision agriculture practices, weed and herbicide technologies, monitoring plant growth and plant nutrition management. This paper highlights the future potential for image processing for different agricultural industry contexts.

Imagenet classification with deep convolutional neural networks. ALTHORS: A Krizbaysky L Sutskayer and C. F.

# Imagenet classification with deep convolutional neural networks, AUTHORS:A. Krizhevsky, I.Sutskever and G. E. Hinton,

ABSTRACT: We trained a large, deep convolutional neural network to classify the 1.2 million high-resolution images in the ImageNet LSVRC-2010 contest into the 1000 different classes. On the testdata, we achieved top-1 and top-5 error rates of 37.5% and 17.0% which is considerably better than the previousstate-of-the-art. The neural network, which has 60 million parameters and 650,000 neurons, consists of five convolutional layers, some of which are followedbymax-poolinglayers, andthree fully-connected layers with a final 1000- way softmax. To make training faster, we used non-saturating neurons and a very efficient GPU implementation of the convolution operation. To reduce overriding in the fully-connected layerswe employed a recently-developed regularization method called "dropout" that proved to be very effective. We also entered a variant of this model in the ILSVRC-2012competitionandachieveda winning top-5 test error rate of 15.3%, compared to 26.2% achieved by the second-best entry.

# Integrating soms and a bayesian classifier for segmenting diseased plants in uncontrolled environments, AUTHORS:D.L.Hernández-Rabadán, F.Ramos-QuintanaandJ.GuerreroJuk

**ABSTRACT:** This work presents a methodology that integrates a nonsupervised learning approach (self- organizing map (SOM)) and a supervised one(aBayesianclassifier)forsegmenting diseased plants that grow in uncontrolled environments such as greenhouses, whereinthelackofcontrol ofillumination and presence of background bring about serious drawbacks. During the training phase two SOMs are used: one thatcreates color groups of images, which are classified into two groups using K means and labeled as vegetation and nonvegetation by using rules, and asecond SOM that corrects classification errors made by the first SOM. Two color histograms are generated from the two color classes and used to estimate the conditional probabilities of the Bayesian classifier. During the testing phase an input image is segmented bythe Bayesian classifier and then it is converted into a binary image, wherein contours are extracted and analyzed to recoverdiseased areas that were incorrectly classified as nonvegetation. The experimental results using the proposed methodology showed better performance than two of the most used color index methods.

# Visible-near infrared spectroscopy for detection of Huanglongbing in citrus orchards, AUTHORS:S.Sankaran,A.Mishra,J. M.Majaand R. Ehsani

ABSTRACT: This paper evaluates the feasibility of applying visible-nearinfrared spectroscopy for in-fielddetection of Huanglongbing (HLB) in citrus orchards. Spectral reflectance data from the wavelength range of 350–2500nmwith989spectralfeatureswere collected from 100 healthy and 93 HLB- infected citrus trees using a visible-near infrared spectroradiometer. During data preprocessing, the spectral data were normalized and averaged every 25nm to reduce the spectral features from 989 to 86. Three datasets were generated from the preprocessed raw data: first derivatives, second derivatives, and a combined dataset (generated by integrating preprocessed raw data, first derivatives and second derivatives). The preprocessed datasets were analyzed using principal component analysis (PCA) to further reduce the number of features used as inputs in the classification algorithm. The dataset consisting of principal components were randomized and separated into training and testing datasets such that 75% of the dataset was used for training; while 25% of the dataset was used for testing the classification algorithms. The number of samples in the training

ISSN: 2278-4632

(UGC CARE Group I Listed Journal) Vol-14, Issue-7, June: 2024

and testing datasets was 145 and 48, respectively. The classification algorithmstestedwere: linear discriminant analysis, quadratic discriminant analysis (ODA), k-nearest neighbor, and soft independent modeling of classification analogies (SIMCA). The reported classification accuracies of the algorithms are an average of three runs. When the second derivatives dataset were analyzed, the QDA-based classification algorithm yielded the highest overall average classification accuracies of about 95%, with HLB-class classification accuracies of about 98%. In the combined dataset, SIMCAbasedalgorithmsresultedinhigh

overall classification accuracies of about 92% with low false negatives (less than 3%).

## Rethinking the inception architecture for computer vision

AUTHORS: Christian Szegedy, Vincent Vanhoucke, Sergey Ioffe, Jonathon Shlens, Zbigniew Wojna

ABSTRACT: Convolutional networks are at the core of most state-of-the-art computer vision solutions for a wide variety of tasks. Since 2014 very deep convolutional networks started to become mainstream, yielding substantial gains in various benchmarks. Although increased model size and computational cost tend to translate to immediate quality gains for most tasks(aslong asenoughlabeleddata is provided for training), computational efficiency and low parameter count are still enabling factors for various use cases such as mobile vision and big-data scenarios. Here we explore ways to scale up networks in ways that aim at utilizing the added computation as efficiently as possible by suitably factorized convolutions and aggressive regularization. We benchmark our methods on the ILSVRC 2012

classification challenge validation set demonstrate substantial gains over the stateoftheart:21.2%top-1and5.6%top-5 error for single frame evaluation using a network with a computational cost of 5 billion multiply-adds per inference and with using less than 25 million parameters. With an

ensemble of 4models and multi-cropevaluation, were port 3.5% top-5 error on the validation (3.6%)erroronthetestset)and17.3%top-1error on the validation set.

## 3. SYSTEM ANALYSIS **EXISTING SYSTEM:**

In India alone, 35% of field crops are lost to pathogens and pests causing losses to farmers. Indiscriminate useof pesticides is also a serious health concern as many are toxic and biomagnified. These adverse effects can be avoided by early disease detection, crop surveillance and targeted treatments. Most diseases are diagnosed by agricultural experts by examining external symptoms. However, farmers have limited access to experts.

**DISADVANTAGESOFEXISTING SYSTEM:** Indiscriminate use of pesticides is also a serious health concern as many are toxic and biomagnified.

### PROPOSEDSYSTEM:

In this project author using convolution neural networkas artificial intelligence to train all plant diseases images and then upon uploading new images CNN will predictplantdisease availableinuploaded images. ForstoringCNN train model and images author is using cloud services. so, using Al author predicting plant disease and cloud is used to store data. In this Project author using smart phone to upload image but designing android application will take extra cost and timeso we build it as python web application. Using this web application CNN model will get trained and user can upload images and then application will apply cnn model on uploaded images to predict diseases. If this web application deployed on real web server then it will extract users location from request object and can display those location in map.

#### ADVANTAGES OF PROPOSED SYSTEM:

Accurately identify diseases and get solutions with a mobile app by photographing affected plant parts.

### **SCREENSHOTS**



New User Signup Screen


# ISSN: 2278-4632 Vol-14, Issue-7, June: 2024


# Register.html



# Signup









বি) ISSN: 2278-4632 I Listed Journal) Vol-14, Issue-7, June: 2024

# Upload.html



# **Upload Image Screen**







### **CONCLUSION**

This paper presents an automated, low cost and easy to use end-to-end solution to one of the biggest challenges in the agricultural domain for farmers – precise, instant andearly diagnosis of crop diseases and knowledge of disease outbreaks – which would be helpful in quick decision making for measures to beadopted for disease control. This proposal innovates on known prior art with the application of deep Convolutional Neural Networks (CNNs) for disease classification, introduction of social collaborative platform for progressively improved accuracy, usage of geocodedimages for disease density maps and expert interface for analytics. High performing deep CNN model "Inception" enables real time classification of diseases in the Cloudplatform via a user facing mobile app. Collaborative model enables continuous improvement in disease classification accuracy by automatically growing the Cloud based training dataset with user added images for retraining the CNN model. User added images in the Cloud repository also enable rendering of disease density maps based on collective disease classification data and availability of geolocation information within the images. Overall, the results of our experiments demonstrate that the proposal has significant potential for practical deployment due to multiple dimensions – the Cloud based infrastructure is highly scalable and the underlying algorithm works accurately even with large number of disease categories, performs better with high fidelity real-life trainingdata, improvesaccuracy withincrease in the training dataset, is capable of detecting early symptoms of diseases and is able to successfully differentiate between diseases of the

same family. Future work involves expanding the model to include more parameters which can improve the correlation to the disease. We can augment the image database with supporting We trained a large, deep convolutional neural network to classify the 1.2 million high-resolution images in the ImageNet LSVRC-2010 contest into the 1000 different classes. On the test data, we achieved top-1 and top-5 error rates of 37.5% and 17.0% which is considerably better than the previous state-ofthe-art. The neural network, which has 60 million parameters and 650,000 neurons, consists of five convolutional layers. some of which are followed by max-pooling layers, and three fully-connected layers with a final 1000- way softmax. To make training faster, we used non-saturating neurons and a very efficient GPU implementation of the convolution operation. To reduce overriding in the fully-connected layers we employed a recently-developed regularization method called "dropout" that proved to be very effective. We also entered a variant of this model in the ILSVRC-2012 competition and achieved a winning top-5 test error rate of 15.3%, compared inputs from the farmer on soil, past fertilizer and pesticide treatment along with publicly available environmental factors such as temperature, humidity and rainfall to improve our model accuracy and enable disease forecasting. We also wish to increase the number of crop diseases covered and reduce the need for expert intervention except for new types of diseases. For automatic acceptance of user uploaded images into the Training Database for better classification accuracy and least possible human intervention, a simple technique of computing the threshold based on a mean of all classification scores can be used. Further application of this work could be to support automated time-based monitoring of the disease density maps that can be used to track the progress of a disease and trigger alarms. Predictive analytics can be used to send alerts to the users on the possibility of disease outbreaks near their location.

### REFERENCES

- 1. L. Saxena and L. Armstrong, "A survey of image processing techniques for agriculture," in Proceedings of Asian Federation for Information Technology in Agriculture, 2014, pp. 401-413.
- 2. P. A. H. Vardhini, S. Asritha and Y. S. Devi, "Efficient Disease Detection of Paddy Crop using CNN," 2020 International Conference on Smart Technologies in Computing, Electrical and Electronics (ICSTCEE), Bengaluru, India, 2020, pp. 116-119, doi: 10.1109/ICSTCEE49637.2020.9276775.
- 3. E. L. Stewart and B. A. McDonald, "Measuring quantitative virulence in the wheat pathogen Zymoseptoria tritici using high-throughput automated image analysis," in Phytopathology104 9, 2014, pp. 985–992.
- 4. T. Rajeshwari, P. A. Harsha Vardhini, K. Manoj Kumar Reddy, K. K. Priya and K. Sreeja, "Smart Agriculture Implementation using IoT and Leaf Disease Detection using Logistic Regression," 2021 4th International Conference on Recent Developments in Control, Automation & Power Engineering (RDCAPE), Noida, India, 2021, pp. 619-623, doi: 10.1109/RDCAPE52977.2021.9633608.
- 5. Meena, K., Veni, N.N.K., Deepapriya, B.S. et al. A novel method for prediction of skin disease through supervised classification techniques. Soft Comput 26, 10527–10533 (2022). https://doi.org/10.1007/s00500-022-07435-8
- 6. P. A. Harsha Vardhini, S. S. Prasad and S. N. Korra, "Medicine Allotment for COVID-19 Patients by Statistical Data Analysis," 2021 International Conference on Emerging Smart Computing and Informatics (ESCI), Pune, India, 2021, pp. 665-669, doi: 10.1109/ESCI50559.2021.9396830.
- 7. A. Krizhevsky, I. Sutskever and G. E. Hinton, "Imagenet classification with deep convolutional neural networks," in Advances in Neural Information Processing Systems, 2012.
- 8. TensorFlow.[Online]. Available: https://www.tensorflow.org/
- 9. S. Vadupu, K. S. Kandala, A. Peddi, N. S. Yadav, G. V. Kumar and P. A. Harsha Vardhini, "Skin Pathology Detection Using Artificial Intelligence," 2021 6th International Conference on Signal Processing, Computing and Control (ISPCC), Solan, India, 2021, pp. 373-376, doi: 10.1109/ISPCC53510.2021.9609516.
- 10. D. P. Hughes and M. Salathé, "An open access repository of images on plant health to enable the development of mobile disease diagnostics through machine learning and crowdsourcing," in CoRR abs/1511.08060, 2015.
- 11. P. A. Harsha Vardhini, S. S. Prasad and S. N. Korra, "Medicine Allotment for COVID-19 Patients by Statistical Data Analysis," 2021 International Conference on Emerging Smart Computing and Informatics (ESCI), Pune, India, 2021, pp. 665-669, doi: 10.1109/ESCI50559.2021.9396830.
- 12. S.Raza, G.Prince, J.P.Clarksonand N. M. Rajpoot, "Automatic detection of diseased tomato plants using thermal and stereo visible light images," in PLoS ONE, 2015.
- 13. D. L. Hernández-Rabadán, F. Ramos- Quintana and J. Guerrero Juk, "Integrating soms and a bayesian classifier for segmenting diseased plants in uncontrolledenvironments," 2014, in the Scientific World Journal, 2014.
- 14. P. A. Harsha Vardhini, S. S. Prasad, M. H. S Vishnu Sai, C. Santoshi and D. Konduru, "Pioneering Minimalist Speech Analysis Through Optimized Spectral Features Machine Learning Models," 2024 International Conference on Emerging Smart Computing and Informatics (ESCI), Pune, India, 2024, pp. 1-6, doi: 10.1109/ESCI59607.2024.10497288.

ISSN: 2278-4632

- 15. S.Sankaran, A.Mishra, J.M.Majaand R. Ehsani, "Visible-near infrared spectroscopy for detection of huanglongbing in citrus orchards," in Computers and Electronicsin. Agriculture 77, 2011, pp. 127–134.
- 16. C.B. Wetterich, R. Kumar, S. Sankaran, J. B. Junior, R. Ehsani and L. G. Marcassa, "A comparative studyon application of computer vision and fluorescence imagingspectroscopy for detection of huanglongbing citrus disease in the USA and Brazil," in Journal of Spectroscopy, 2013.
- 17. R. S. Kumar, K. K. Srinivas, A. Peddi and P. A. H. Vardhini, "Artificial Intelligence based Human Attention Detection through Brain Computer Interface for Health Care Monitoring," 2021 IEEE International Conference on Biomedical Engineering, Computer and Information Technology for Health (BECITHCON), Dhaka, Bangladesh, 2021, pp. 42-45, doi: 10.1109/BECITHCON54710.2021.9893646.
- 18. C. Szegedy, "Rethinking the inception architectureforcomputervision," in Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2016, pp. 2818-2826.
- 19. V. R. Reddy, D. Yakobu, S. S. Prasad and P. A. H. Vardhini, "Clustering Student Learners based on performance using K-Means Algorithm," 2022 International Mobile and Embedded Technology Conference (MECON), Noida, India, 2022, pp. 302-306, doi: 10.1109/MECON53876.2022.9752165.
- 20. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2016, pp. 2818-2826. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2016, pp. 2818-2826.
- 21. M. L. Kumar, P. A. Harsha Vardhini, V. Malathy, M. Anand and P. B. Kumar Chowdary, "Kernel Based FCM for Spinal Cord Segmentation on Computed Tomography Images," 2024 International Conference on Emerging Smart Computing and Informatics (ESCI), Pune, India, 2024, pp. 1-6, doi: 10.1109/ESCI59607.2024.10497368.
- 22. Babu, Y. Murali Mohan. "Optimized performance and utilization analysis of real-time multi spectral data/image categorization algorithms for computer vision applications." Turkish Journal of Computer and Mathematics Education (TURCOMAT) 12.9 (2021): 2212-2227.
- 23. Mango Diseases and Symptoms. [Online]. Available: http://vikaspedia.in/agriculture/crop- production/integrated-pestmanagment/ipm-for-fruit-crops/ipm-strategies-for- mango/mangodiseases-and-symptom
- 24. P. A. Harsha Vardhini, S. P. R. D. Reddy and V. P. Parapatla, "Facial Recognition using OpenCV and Python on Raspberry Pi," 2022 International Mobile and Embedded Technology Conference (MECON), Noida, India, 2022, pp. 480-485, doi: 10.1109/MECON53876.2022.9751867.
- 25. P.Subrahmanyam, S.Wongkaew, D.V.R. Reddy, J. W. Demski, D. McDonald, S. B. Sharma and D. H. Smith, "Field Diagnosis of Groundnut Diseases". Monograph. International Crops Research Institute for the Semi-Arid Tropics, 1992.
- 26. R. S. Krishna, K. K. Srinivas, P. Anudeep and P. A. H. Vardhini, "Ear-Based Biometric System Using Artificial Intelligence," 2021 6th International Conference on Signal Processing, Computing and Control (ISPCC), Solan, India, 2021, pp. 377-382, doi: 10.1109/ISPCC53510.2021.9609409.
- 27. Kora, P., Ooi, C. P., Faust, O., Raghavendra, U., Gudigar, A., Chan, W. Y., ... & Acharya, U. R. (2022). Transfer learning techniques for medical image analysis: A review. Biocybernetics and Biomedical Engineering, 42(1), 79-107.

ISSN: 2278-4632